

3/31/2009



BUD KILL

Variety	Control	27.5	25.5	24	21.5
Kennewick Bing	0%	0%	32%	86%	85%
	0 75	0 82	21 66	64 74	73 86
Kennewick Chelan	0%	8%	45%	85%	93%
	0 132	11 133	51 114	123 144	89 96
Wallula Tieton		0%	38%	36%	44%
	0 49	0 59	52 136	27 74	64 144
Benton City Rainier	0%	1%	31%	10%	27%
	0 237	1 182	43 137	19 185	51 188
Benton City Bing	0%	3%	10%	37%	60%
	0 84	3 106	10 98	30 81	37 62
Wapato Chelan	0%	0%	28%	5%	35%
	0 92	0 80	28 99	9 176	54 153
Finley Rainier	0%	0%	41%	40%	100%
	0 41	0 49	17 41	40 101	98 98
Tieton Sweethearts	0%	0%	2%	2%	3%
	0 180	0 139	4 163	3 136	3 120
Zillah Bing	0%	0%	20%	13%	64%
	0 91	0 121	25 126	22 165	106 166

CONTINUED ON PAGE 2

3/31/2009



Variety	Control	27.5	25.5	24	21.5
Burbank Bing	0%	3%	7%	85%	100%
	0 70	3 116	8 117	47 55	70 70
Burbank Chelan	0%	0%	28%	66%	96%
	0 177	0 155	55 200	70 106	140 146
Selah Rainier	0%	0%	3%	18%	10%
	0 255	0 187	6 178	37 206	11 114
Selah Skeena	1%	0%	4%	16%	47%
	1 128	0 116	6 139	21 133	66 139
Sunnyside Chelan	0%	2%	14%	52%	60%
	0 143	2 110	11 81	82 157	110 184
Wapato Supreme Nectarine	0%	3%	33%	26%	
	0 23	1 33	13 39	7 27	
Wapato Rich Lady Peach	5%	5%	41%	56%	
	1 20	1 20	7 17	18 32	
Snakeriver 50 Acre Rainier	0%	0%	66%	97%	100%
	0 42	0 39	57 86	66 68	84 84

CONTINUED ON PAGE 3

3/31/2009



Variety	Control	27.5	25.5	24	21.5
Mattawa Chelan	0%	7%	25%	73%	97%
	0 102	6 90	32 126	88 120	114 117
Mattawa Sweet Cherry	0%	0%	51%	56%	88%
	0 119	0 139	91 178	79 140	80 91
Wallula Pink Lady Stage 3+			55%	36%	70%
		0 24	11 20	10 28	23 33
Snakeriver Stage 2+ 2001 Gala		0%	19%	6%	70%
		0 18	5 27	1 18	19 27
Snakeriver Stage 2+ Old Gala		0%	22%	43%	62%
		0 29	4 18	22 51	13 21
Zillah Gala Stage 2+			10%	26%	59%
		0 29	3 30	9 35	13 22
Wallula 02 Cherry	0%	0%	56%	49%	69%
	0 100	0 109	40 72	24 49	37 54
Snakeriver Reds 96 Stage 2+		0%	7%	17%	76%
		0 18	3 42	3 18	13 17

*The provided information shows percent bud damage at various temperatures. This information may not indicate the temperature sensitivity of the buds in your orchard. Location, variety, tree health, tree age, and cultural practices can all influence temperature sensitivity.