

4/8/2009



BUD KILL

Variety	Control	27	25	23.5	22
Wapato Rainier G 5	0%	4%	42%	44%	99%
	0 69	4 105	23 55	61 138	75 76
Wapato Chelan	0%	4%	67%	99%	100%
	0 111	2 53	49 73	74 75	127 127
Tieton Sweethearts	0%	0%	11%	27%	88%
	0 209	0 177	13 116	50 183	163 186
Sunnyside Chelan	0%	4%	71%	91%	100%
	0 172	3 77	67 95	86 94	66 66
Zillah Gala Stage 3	0%	2%	69%	81%	100%
	0 41	1 45	18 26	21 26	35 35
Yakima Jazz Stage 3	0%	0%	41%	39%	55%
	0 50	0 40	18 44	27 69	38 69
Zillah Pears Stage 3 +	0%	5%	4%	67%	81%
	0 42	1 21	2 46	16 24	38 47
Sunnyside Bartlets Stage 3 +	0%	0%	0%	19%	63%
	0 33	0 55	0 30	7 36	17 27

CONTINUED ON PAGE 2

4/8/2009



Variety	Control	27	25	23.5	22
Snakeriver 93 reds Stage 3	0% 0 34	0% 0 24	71% 24 34	72% 18 25	41% 22 54
Snakeriver Reds 96 Stage 3	0% 0 37	5% 2 37	0% 0 25	19% 4 21	87% 13 15
Snakeriver Stage3 Old Gala	0% 0 67	0% 0 42	38% 18 48	92% 23 25	97% 38 39
Wallula Pink ladies Stage 4	0% 0 34	5% 2 43	69% 22 32	100% 28 28	100% 31 31
Mattawa Pink Ladies Stage 4	0% 0 40	0% 0 33	38% 15 39	78% 25 32	93% 25 27
Paterson Duke Blueberry	4% 3 75	6% 4 65	16% 18 112	46% 39 84	83% 69 83
Wallula Gala Stage 3	0% 0 20	0% 0 46	80% 16 20	100% 29 29	93% 28 30

*The provided information shows percent bud damage at various temperatures. This information may not indicate the temperature sensitivity of the buds in your orchard. Location, variety, tree health, tree age, and cultural practices can all influence temperature sensitivity.

