



WILBUR-ELLIS®



PRINCIPAL FUNCTIONING AGENTS	% BY WT.
Paraffin Base Petroleum Oil	83%
Surfactant Blend	17%
	100%

Surfactant Content . . . 17%
 Minimum Unsulfonated Residue . . . 92%

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear proper eye protection to reduce splash exposure. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

FIRST AID	
If in eyes:	-Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. -Call a poison control center or doctor for treatment advice.
If on skin or clothing:	-Take off contaminated clothing. -Rinse skin immediately with plenty of water for 15-20 minutes. -Call a poison control center or doctor for treatment advice.
If swallowed:	-Call a poison control center or doctor immediately for treatment advice. -Have person sip a glass of water if able to swallow. -Do not induce vomiting unless told to do so by a poison control center or doctor. -Do not give anything by mouth to an unconscious person.
If inhaled:	-Move person to fresh air. -If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. -Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact EMERGENCY TELEPHONE NUMBERS: (800) 424-9300 CHEMTREC (transportation and spills) (800) 900-4044 Poison Control Center (human health) (800) 345-4735 ASPCA (animal health)	

NET CONTENTS: _____ GALLONS

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.

STORAGE: Store in original container only and keep sealed. Store in closed storage areas. Use caution when moving, opening, closing or pouring.

PESTICIDE DISPOSAL: Improper disposal of excess spray mixtures or rinsate is a violation of federal law. Wastes resulting from use of this product should be disposed of through on site spray application or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or other procedures approved by state and local authorities.

DIRECTIONS FOR USE

R.O.C. is a blend of phytobland crop oil and surfactant. This combination utilizes the penetrating, non-evaporating properties of herbicidal oil and the wetting and dispersing characteristics of a surfactant blend.

R.O.C. increases the activity of most herbicides, therefore, care must be taken in treating sensitive crops during periods when plants are subjected to drought stress, high temperatures, and high humidity. Read entire label of herbicide being used to ensure best results. Most labels will contain some of the following important information:

1. Dosage rate of crop oil
2. Volume of spray mixture
3. Methods of application, ground, air, etc.
4. Time of application

Please note: When using a new chemical or a questionable water source (High pH or hard water) always prepare a small amount and check for compatibility.

Prior to use read all directions on this label and on the label of the product used. The product label for specific usages and restrictions have precedence over directions for uses referred to on this label. Keep this container closed tight when not in use. Take care to prevent any water from being introduced to the contents of this container; even small amounts can cause performance or compatibility problems.

CROP AND HERBICIDE	RATE OF R.O.C.	REMARKS
BEANS (Dry or Succulent)		
Basagran®	Ground: 2 pts/acre Aerial: 1 pt/acre	See the Basagran label for correct rates and timing.
CORN		
Aatrex® (Atrazine)	Ground: 1 qt/acre in minimum 10 G.P.A. Aerial: 1/2-1 qt/acre in minimum 2 G.P.A.	Controls many annual broadleaf and grass weeds in corn and sorghum. See Aatrex label*
Accent®	Ground: 1 gal./100 gal. water (1% v/v). Apply by ground in not less than 10 G.P.A.	Selective herbicide for the control of annual and perennial grass, weeds and some selected broad leaved weeds when applied postemergence to field corn. See Accent label.*
Basagran®	Ground: 2 pts/acre in minimum 20 G.P.A. Aerial: 1 pt/acre in minimum 5 G.P.A.	For control of certain broadleaves and sedges. See Basagran label.*
Beacon®	Ground: 1-4 pts/acre. Apply by ground in not less than 10 G.P.A.	Selective herbicide applied postemergence for control of shattercane, quackgrass and certain other weeds in field corn for silage or grain. See Beacon label.*
Laddok®	Ground: 2 pts/acre (max.) in a 20 G.P.A Aerial: 1 pt/acre (max.) in 5 G.P.A.	For postemergence control of a broad spectrum of broadleaf weeds. Does not control grasses. See Laddok label.*
COTTON		
Pix®	Aerial: (ULV) aerial application 2 pt/acre	See Pix label.*
Poast® Plus	Ground: 2 pts/acre Aerial: 2 pts/acre	Postemergence grass herbicide. See Poast Plus label.*

DIRECTIONS FOR USE (CONT.)

CROP AND HERBICIDE	RATE OF R.O.C.	REMARKS
PEANUTS		
Basagran®	Ground: 2 pts/acre Aerial: 1 pt/acre	Postemergence only. See the Basagran label.*
Poast®	Ground: 2 pts/acre Aerial: 2 pts/acre	Postemergence grass control. See Poast label.
Poast® Plus	Ground: 2 pts/acre Aerial: 2 pts/acre	Postemergence grass herbicide. See Poast Plus label.
PEPPERMINT AND SPEARMINT		
Basagran®	Ground: 2 pts/acre Aerial: 1 pt/acre	See the Basagran label.*
POTATOES		
Poast®	Ground: 2 pts/acre Aerial: 2 pts/acre	See the Poast label.*
SORGHUM		
Aatrex® 4L or Nine-O (Atrazine)	Ground: 1 qt/acre in minimum 10 G.P.A. Aerial: 1/2-1 qt/acre in minimum 2 G.P.A.	Controls many annual broadleaf and grass weeds in sorghum and grain sorghum.
Basagran® (Grain Sorghum)	Ground: 1 qt/acre in maximum 20 G.P.A. Aerial: 1 pt/acre in maximum 5 G.P.A.	For postemergence control of certain broadleaf weeds and sedges in grain sorghum. See Basagran label.*
SOYBEANS		
Assure®	Ground: 4 qts/100 gal. water. Aerial: 2 qts/100 gal. water.	For the control of annual and perennial grasses in soybeans. See Assure label.*
Basagran®	Ground: 1 qt/acre maximum in 20 G.P.A. Aerial: 1 pt/acre in 5 G.P.A.	For selective control of certain broadleaves and sedges. See Basagran label.*
Classic®	Ground: 4 qts/100 gal. water, minimum 10 G.P.A. Aerial: 4 qts/100 gal. water, minimum 3 G.P.A.	For control of many broadleaved weeds and nutsedge. See Classic label.*
Fusilade® DX	Ground: 1-2 pt/25 gal. water. Aerial: 1 pt/acre	For control of annual and perennial grasses. See Fusilade DX label.*
Galaxy®	Ground: 2 pts/acre (maximum) Aerial: 1 pt/acre (maximum)	For selective postemergence control of certain broadleaf weeds. See Galaxy label.*
Option® 1EC	Ground: 1 qt/acre in 10 G.P.A. minimum Aerial: 1 pt/acre in 5 G.P.A. minimum.	For selective postemergence control of annual and perennial grassy weeds in soybeans. See Option label.*
Poast®	Ground: 2 pt/acre in 5-20 G.P.A. Aerial: 2 pt/acre in 5-10 G.P.A.	For control of annual and perennial grasses. See Poast label.*
Storm®	Ground: 1 pt/acre maximum in 20 G.P.A. Aerial: 1 pt/acre maximum.	For selective postemergence control of certain broadleaf weeds. See Storm label.*
SUGAR BEETS		
Poast®	Ground: 1 qt/acre Aerial: 1 qt/acre	For selective postemergence control of annual and perennial grass weeds. Does not control sedges or broadleaf weeds. See Poast label.*
Stinger®	Ground: 1 qt/acre	For controlling perennial sow thistle and Canada thistle. See Stinger label.*

CROP AND HERBICIDE	RATE OF R.O.C.	REMARKS
SUNFLOWERS		
Poast®	Ground: 2 pts/acre Aerial: 2 pts/acre	See Poast label.*
WHEAT		
Hoelon® 3 EC	Ground: 1-2 pt/acre minimum 10 G.P.A. Aerial: 1-2 pt/acre in minimum 5 G.P.A.	For control of wild oats and other annual grasses. See Hoelon 3EC label*

*Always read and follow the entire herbicide label for proper timing, rates, specific directions and any special use precautions or Regional use recommendations.

OTHER

Insecticide Applications to Grassland and Rangeland for Grasshopper and Cricket Control

For low spray volume applications of insecticides, when the total spray volume is less than 5 gallons per acre, use 1 fl. oz. to 32 fl. ozs. R.O.C. per acre.

Conditions of Sale and Limitation of Warranty and Liability:

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using the product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

ALL STATEMENTS MADE HEREIN ARE SUBJECT TO APPLICABLE LAW, AND TO THE EXTENT THERE IS ANY INCONSISTENCY OR CONTENTION, APPLICABLE LAW SHALL GOVERN.

The Directions for Use of the product should must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of many different factors including, without limitation, manner of use or application, weather, combination with other products, or crop conditions. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Manufacturer and Seller harmless from any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label. EXCEPT FOR THIS WARRANTY, THE PRODUCT IS FURNISHED "AS-IS", AND NEITHER SELLER NOR MANUFACTURER MAKES ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE SELECTION, PURCHASE OR USE OF THIS PRODUCT; SELLER AND MANUFACTURER SPECIFICALLY DISCLAIM ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE BEYOND WHAT IS STATED ON THE LABEL. Buyer and User accept all risks arising from any use of this product, including without limitation, uses contrary to label instructions, or under conditions not reasonably foreseeable to (or beyond the control of) Seller or Manufacturer.

Neither Manufacturer nor Seller shall be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE BUYER OR USER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER, FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THIS PRODUCT, OR, AT THE ELECTION OF MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

These Conditions of Sale and Limitation of Warranty and Liability shall be interpreted, unless otherwise required by the law of the state of purchase, in accordance with the laws of the State of California, excluding its conflicts of laws rules, and may not be amended by any oral or written agreement.

Aatrex® and Beacon® are registered trademarks of Syngenta Crop Protection Inc.

Accent®, Assure®, and Classic® are registered trademarks of E.I. DuPont de Nemours & Co.

Basagran®, Pix®, Poast®, Galaxy®, and Storm® are registered trademarks of BASF Corp.

Laddok® is a registered trademark of Sipcam Agro USA Inc.

Hoelon® is a registered trademarks of Bayer CropScience.

Fusilade® is a registered trademark of Syngenta Crop Protection Inc.

Option® is a registered trademark of Bayer CropScience.

Stinger™ is a registered trademark of Dow AgroSciences.

WILBUR-ELLIS® Logo is registered trademarks of Wilbur-Ellis Company.

F-042210

**IN CASE OF EMERGENCY,
CALL CHEMTREC: (800) 424-9300**

Manufactured in U.S.A. by
WILBUR-ELLIS COMPANY
P.O. BOX 16458 • FRESNO, CA 93755