



WILBUR-ELLIS®



# REGUARD®

## EXTENDER AND STICKER

PRINCIPAL FUNCTIONING AGENTS	% By Wt.
Polymeric terpenes .....	96.0%
CONSTITUENTS INEFFECTIVE AS	
SPRAY ADJUVANTS.....	4.0%
TOTAL .....	100.0%

removed with soap and water before the spray residue is dry or with premium grade kerosene after the film has dried. To remove dried deposits from painted car surfaces, use standard tar remover products designed for use on painted car finishes.

### DIRECTIONS FOR USE

**To extend the activity and increase the efficiency of insecticidal and fungicidal sprays when applied by aircraft or ground equipment:** Use 1 pint of REGUARD per acre.

**Hydraulic gun or air blast sprayer applications to Shade, Fruit and Nut trees (dilute):** Use 6 to 8 fluid ounces of REGUARD per 100 gallons of water.

**Dilute application of Citrus sprays when spray volume is 1,000 to 1,500 gallons per acre:** Use 2 pints of REGUARD per 500 gallons of spray mix.

**Concentrate sprays when spray volume is approximately 100 gallons or less per acre:** Use 1 pint of REGUARD per acre.

**Turf applications:** Use 8 to 16 fluid ounces of REGUARD per acre.

**Vegetable and Cotton programs:** Use 4 to 16 fluid ounces of REGUARD per acre.

**Pears:** Use 2 pints per acre on Pears prior to cluster bud in no less than 200 gallons of water.

REGUARD used at the rate of 4 fluid ounces per acre enhances the sticking activity of insecticides and fungicides. REGUARD used at the rate of 8 fluid ounces per acre provides some extension of most insecticides and fungicides.

Use in spray tank combination with insecticides and fungicides. Do not apply REGUARD to food crops within 30 days of harvest except as follows: REGUARD can be used with copper fungicides, Bacillus thuringiensis products and other tolerance exempt pesticides on food crops up to harvest.

**Note:** Use of REGUARD with tolerance exempt pesticides close to harvest may result in visible residues on crops which may render the crops unsalable. If this is a potential problem, REGUARD rate should be reduced or should not be used close to harvest. Do not apply to food crops within 30 days of harvest when Bacillus thuringiensis products are combined in the spray tank with other insecticides.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PRODUCT STORAGE:** Protect from freezing temperatures. Store above 40°F. Store in original container only. Keep container tightly closed, do not allow water to be introduced into contents of this container.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler, visit the ACRC web page at [www.acrcycle.org](http://www.acrcycle.org). Decontaminated containers may also be disposed of in a sanitary landfill.

**WARRANTY STATEMENT:** WILBUR-ELLIS COMPANY warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials or the manner of use or application, all of which are beyond the control of WILBUR-ELLIS COMPANY. In no case shall WILBUR-ELLIS COMPANY be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the Buyer. The exclusive remedy of any buyer or user of this product for any and all losses, injuries, or damages resulting from or in any way arising from the use, handling or application of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid for this product or at WILBUR-ELLIS COMPANY'S election, the replacement of this product. WILBUR-ELLIS COMPANY makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

WILBUR-ELLIS Logo® and REGUARD® are registered trademarks of WILBUR-ELLIS Company.

F-204-2

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**  
**Read Entire Label Before Using This Product**  
**SHAKE WELL BEFORE USING**

### PRECAUTIONARY STATEMENTS

**CAUTION:** Harmful if swallowed, inhaled or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wear chemical-resistant gloves, long-sleeved shirt and long pants, shoes and socks. Wash thoroughly with soap and water after handling. Observe all use precautions and limitations on the label(s) used in the tank mixture. The more restrictive/protective requirements must be followed.

### FIRST AID

If swallowed:	-Call a poison control center or doctor immediately for treatment advice.. -Have the person sip a glass of water if able to swallow. -Do not induce vomiting unless told to do so by a poison control center or doctor. -Do not give anything by mouth to an unconscious or convulsing person.
If inhaled:	-Move person to fresh air. -If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
If in eyes:	-Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
If on skin or clothing:	-Take off contaminated clothing. -Rinse skin immediately with plenty of water for 15-20 minutes

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

### GENERAL INFORMATION

REGUARD is an extender and sticker designed to extend the life of pesticides. It may be used with all pesticide products and soluble fertilizers.

**REGUARD** forms a durable film that holds a pesticide on the crop foliage. This shield reduces the effects of environmental factors, which may decrease the effectiveness of pesticides.

**NOT FOR AQUATIC USE.**

REGUARD will not foam or clog nozzles. It may be applied by aerial, ground or concentrate sprayer. It enhances the initial pesticide application to give complete coverage.

REGUARD prevents the removal of the pesticide from the leaf surface by rainfall and wind. It screens the pesticide spray residue from ultraviolet rays which often cause pesticide degradation. Pesticide volatilization is minimized by the protective shield. Under most conditions, apply sprays containing REGUARD and allow at least one hour of daylight before an anticipated rain. Sunlight for this time period is required for the protective shield to set.

### MIXING DIRECTIONS

To ensure good emulsification, pre-mix REGUARD with water before adding to spray tank. Add REGUARD to the spray tank as the last ingredient, as the spray tank is filling, with the agitator running. Always rinse tank, lines and nozzles with water immediately after spraying. After rinsing, a small amount of sticky residue may remain in the spray tank. This residue can help to prevent rust and corrosion and will not clog nozzles when sprayer is next used. If spray drift sets down on unintended surfaces, it can be

**Net Contents: 1 Gallon (3.79 Liters)**

**IN CASE OF EMERGENCY, CALL CHEMTREC: (800) 424-9300**

Manufactured in U.S.A. for:  
**WILBUR-ELLIS COMPANY**  
PO BOX 16458 – FRESNO CA 93755