



FOLI-GRO[®]

LIQUID FOLIAR FERTILIZER



6-18-6

GUARANTEED ANALYSIS

Total Nitrogen (N)	6.0%
5.5% Ammoniacal Nitrogen	
0.5% Urea Nitrogen	
Available Phosphate (P ₂ O ₅)	18.0%
Soluble Potash (K ₂ O)	6.0%
Copper (Cu)	0.010%
0.010% Chelated Copper	
Iron (Fe) 0.025%	
0.025% Chelated Iron	
Manganese (Mn)	0.025%
0.025% Chelated Manganese	
Zinc (Zn) 0.020%	
0.020% Chelated Zinc	
Derived from Ammonium poly-phosphate, Urea, Potassium Chloride, Copper EDTA, Iron EDTA, Manganese EDTA and Zinc EDTA.	
Maximum Chlorine content of this product is 6.0%.	

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENT HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Do not ingest. Avoid contact with skin, eyes or clothing. Avoid breathing dust, vapor or mist.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-we.com/>

FIRST AID

In all cases, call a poison control center or doctor for further treatment advice.

IF SWALLOWED, call a poison control center or doctor immediately. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person. **IF ON SKIN**, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF INHALED**, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration. **IF IN EYES**, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.

Store in a safe manner. Store in original container only and keep tightly sealed when not in use. Dispose of unused product and empty containers in accordance with Federal, State and local regulations.

GENERAL INFORMATION

FOLI-GRO[®] 6-18-6 is designed primarily for foliar applications to prevent or correct micronutrient deficiencies in a wide range of agronomic and ornamental plants. Its use is suggested as a supplement to a regular, balanced fertilizer program to enhance yields and improve quality.

Application of FOLI-GRO[®] 6-18-6 is a means of obtaining a quick response to needed elements. Foliar applications of FOLI-GRO[®] 6-18-6 may be particularly beneficial during periods of peak nutrient demand, for crops grown on soils having poor nutrient availability or to crops suffering from a weakened root system.

FOLI-GRO[®] 6-18-6 should be used as part of a comprehensive Total Nutrition System[®] for optimizing plant growth, development, yield and quality.

DIRECTIONS FOR USE

FOLI-GRO[®] 6-18-6 may be applied as a foliar spray by air, ground concentrate or dilute. Maintain agitation to provide uniform distribution within spray tank. Use of a high quality CPDA approved spreader at recommended rates to improve spray cover is usually advised. Do not apply when plants are under excessive heat or moisture stress. Applications of foliar nutrients to leafy vegetables or soft-skinned fruits during periods of excessive temperatures may cause cosmetic injury. Applications of certain micronutrients to fleshy fruits within 30 days of harvest may result in staining of rind or skin.

METHOD OF APPLICATION:

GROUND APPLICATION: Apply the recommended amount of FOLI-GRO[®] 6-18-6 with sufficient water to provide desired coverage. When very low volumes of water are used, a slight burning of the foliage may occur. Ground applications should not exceed 1 quart per gallon of water.

DIRECTIONS FOR USE (continued)

AERIAL APPLICATION: Usually 3 to 5 gallons of water per acre is sufficient to apply the recommended amount of FOLI-GRO[®] 6-18-6. If less water is used, a slight burning of the foliage may occur. Aerial applications should not exceed 1 quart per gallon of water.

Note: FOLI-GRO[®] 6-18-6 contains a total of 30 units of the available primary plant food elements nitrogen, phosphorus and potassium.

Use as a buffering agent, FOLI-GRO[®] 6-18-6 is acidic and when used at rates of 2-3 quarts in 3 to 5 gallons of water will result in significant buffering action when used with pesticides.

Apply recommended amount of FOLI-GRO[®] 6-18-6 with insecticide or fungicide sprays. A special emulsifier has been added to FOLI-GRO[®] 6-18-6 to make it compatible with most pesticides when used at recommended rates. This helps to insure an even distribution of the material over the leaf surface to give maximum absorption of the nutrients.

Note: FOLI-GRO[®] 6-18-6 is compatible with most pesticides and fertilizers, and can be applied in existing spray programs. When using a mixture that has not been used before with FOLI-GRO[®] 6-18-6, always try a small sample mix before application, or check the compatibility by doing a Jar Test.

Contact your local FOLI-GRO[®] dealer or Wilbur-Ellis Company salesperson for more information.

Optimum rate of application will vary between fields, depending on soil pH and organic matter content. For best results, follow soil test or plant analysis recommendations.

FOLI-GRO[®] 6-18-6 can be used on all vegetable crops, field crops, forage crops, small grain crops, and fruit and nut crops.

For specific crop recommendations consult your local FOLI-GRO[®] 6-18-6 dealer or Wilbur-Ellis Company Salesperson.

Beans, Peas, Peppers and Tomatoes: Apply 3 applications of 1-3 quarts per acre each application at 1 week intervals during bloom period.

Cabbage, Cauliflower and Lettuce: Apply 2 to 4 applications as needed of 1-3 quarts each application. Final application should be made 1 week prior to cutting.

Cantaloupes, Cucumbers, Squash and Watermelons: Apply 2-3 quarts at intervals of 7 to 10 days as needed. First application should be made when runners form.

Citrus: Add 2-4 quarts per 100 gallons of water or spray solution. Apply up to 3 times per year.

Corn: Apply 2 applications early season of 1-2 quarts each and 2 applications of 2-3 quarts each at silking and soft dough stage.

Cotton: Apply 1-3 quarts per acre with regular insecticide program. Best results obtained with 3 applications at 1 week intervals during bloom period.

Grain Sorghum: 1 to 2 applications of 2-4 quarts per acre each application prior to boot stage.

Ornamentals: Add 2 quarts per 100 gallons of water and thoroughly cover foliage. Repeat every 3 to 4 weeks or as needed.

COMPATIBILITY

Always jar test new combinations for compatibility prior to field mixing.

For chemical spills, leaks, fire or exposure, call CHEMTREC: (800) 424-9300.

Conditions of Sale and Limitation of Warranty and Liability:

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using the product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of the product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of many different factors including, without limitation, manner of use or application, weather, combination with other products, or crop conditions. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Manufacturer and Seller harmless from any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label. EXCEPT FOR THIS WARRANTY, THE PRODUCT IS FURNISHED "AS-IS," AND NEITHER SELLER NOR MANUFACTURER MAKES ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE SELECTION, PURCHASE OR USE OF THIS PRODUCT; SELLER AND MANUFACTURER SPECIFICALLY DISCLAIM ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Buyer and User accept all risks arising from any use of this product, including without limitation uses contrary to label instructions, under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) Seller or Manufacturer.

To the extent permitted by law, neither Manufacturer nor Seller shall be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE BUYER OR USER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER, FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THIS PRODUCT, OR, AT THE ELECTION OF MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

These Conditions of Sale and Limitation of Warranty and Liability shall be interpreted in accordance with the laws of the State of California, excluding its conflicts of laws rules, and may not be amended by any oral or written agreement.

WILBUR-ELLIS Logo, IDEAS TO GROW WITH, FOLI-GRO, and TOTAL NUTRITION SYSTEM are registered trademarks of Wilbur-Ellis Company.

Manufactured for:
Wilbur-Ellis Company
7 E. Washington Ave.
Yakima, WA 98903

K-092908

NET CONTENTS:

Lot #

GALLONS (

WEIGHT 10.4 POUNDS/GAL.

Liters)